Dual Fuel Range, 48", 4 Burners, 4 Induction Zones, Self-cleaning

Series 11 Professional
Stainless Steel Natural gas




With both induction and gas cooktops and two convection ovens, you're ready to create a feast – guided by an intuitive touchscreen.

- Guided cooking using your touchscreen makes it simple to cook by food, function or recipe.
- Top burner heat of 23,500 BTU, for seriously fast boiling
- Four induction cooking zones, which can be paired to form two SmartZones

• 6.9 cu ft total oven capacity across two oven cavities

DIMENSIONS

Height	35 3/4 - 36 3/4"
Width	47 7/8"
Depth	29 1/8″



FEATURES & BENEFITS

Cook with confidence

Our touchscreen interface provides an intuitive guided cooking experience that helps deliver perfect results, whether you've been cooking all your life or just starting out. Cook with a favorite method, a hero ingredient, or a go-to cooking function or recipe. The screen tilts for improved ergonomics and optimal visibility while cooking.

Generous capacity

Two independently operating cavities provide a large total capacity of 4.8 cu. ft. in the main cavity and 2.1 cu. ft. in the secondary. That's enough room for a 32 lb turkey in one oven, and your sides in the other.

Cooking flexibility

No matter what you're cooking, you've got the right heat to get perfect results. Each of the 15 oven functions in the main cavity and 11 in the secondary have been extensively researched and carefully designed to cater to a broad range of dishes and cooking styles. The handy food probe helps you monitor your progress.

Cooktop power

On the gas side of the cooktop, Sealed dual flow burners deliver power up to 23,500 BTU, while the induction side delivers up to 3700W. This finely tuned cooktop provides instant and immediate control from the highest heat to the most gentle simmer.

Design quality

This range has craftsmanship in every detail, with real stainless steel, high-quality glass, and beautifully weighted, halo illuminated dials. Each cavity features incandescent lights and full extension telescopic racks. From the robust legs to the powerful cooktop, this Range is built to last.

Easy to clean

The oven features a self-cleaning function and self-clean proof side racks, which don't need to be removed when using this function. The induction zones only need a quick wipe after use to keep them clean.

SPECIFICATIONS

Accessories

Square handle option

AH-R48

QUICK REFERENCE GUIDE > RHV3-484-N

Burner retings

Burner ratings	
Maximum burner power	23500 BTU
Power back left	18500BTU
Power back right	18500BTU
Power front left	23500BTU
Power front right	18500BTU
Total cooktop power	79000 BTU
Capacity	
Shelf positions	5
Shelf positions	5
Cleaning	
Pyrolytic self-clean	•
Controls	
Electric circuit	4 wire
High resolution display	•
Metal illuminated dials	•
Sabbath mode	•
Wi-Fi connectivity	•
Gas Requirements	
Fitting and pipe	½ NPT, min. 5%" 🛛 flex line
	6" to 9" W.C

Oven features	
Concealed element	
Electronic oven control	
Full extension telescopic	

Internal light True convection **Oven functions** True convection Oven performance

Bake power	4600
Broil	3600W
Main oven - True convection	2500W

Power requirements

Rated current	50A
Supply frequency	60Hz

Product dimensions

Depth	29 1/8″
Height	35 3/4 - 36 3/4"
Width	47 7/8"

Rangetop features

Gentle heat
Heat settings
Induction cooking technology
Sealed Dual Flow Burners™
Sealed range top
SmartZone
Vent trim included
Zone bridging

Rangetop Performance 2100W (3700W)W Left front zone rating 2100W (3700W)W Left rear zone rating Number of burners Number of cooking zones PowerBoost PowerBoost all zones up to 3700WW Right front zone rating 2100W (3700W)W

Safety

• 9

4

2

Right rear zone rating

ADA compliant	•
Pan detection system	•
Safety time out	•
Surface hot indicators	•
Secondary oven functions	
Bake	•
Convection bake	•
Convection broil	•
Number of secondary oven	11
SKU	81890

The product dimensions and specifications in this page apply to the specific product and model. Under our policy of continuous improvement, these dimensions and specifications may change at any time. You should therefore check with Fisher & Paykel's Customer Care Centre to ensure this page correctly describes the model currently available. ? Fisher & Paykel Appliances Ltd 2020

Date: 07.04.2022 > 2

2100W (3700W)W

4

4

Other product downloads available at fisherpaykel.com

- ↓ User Guide
- ✓ Installation Guide
- ▲ Specification Guide
- → Data Sheet Dual Fuel Cooker
- ➡ Data Sheet Dual Fuel Cooker
- ▲ Data Sheet Dual Fuel Cooker
- → Data Sheet Dual Fuel Range
- ✓ Planning Guide



A PEACE OF MIND SALE

24 Hours 7 Days a Week Customer Support

T 1.888.936.7872 Wwww.fisherpaykel.com