

# SCR1225B



34.38" x 11.88" x 22.38" (H x W x D)

12" wide built-in undercounter commercial glass door beverage center designed for the display and refrigeration of beverages, with lock, digital thermostat, and LED lighting

### Highlights:

Flexible design allows built-in or freestanding use under counters

Commercially listed to NSF-7 standards and meets UL-471

Triple pane glass door provides full visibility while protecting stored items

### Product Features:

|                                      |   |
|--------------------------------------|---|
| Built-in capable                     | Make the best use of space by installing your appliance under the counter               |
| Commercially approved                | Meets UL Commercial Standard 471 and is ETL-S listed to NSF-7 commercial standards      |
| Glass door with stainless steel trim | Provides a full display of stored contents with a heat-safe triple pane tempered design |
| Factory installed lock               | Keyed security on the door  |
| Digital thermostat                   | Electronic controls for precise temperature management.                                 |
| Digital display                      | Temperature readout can be shown in Celsius or Fahrenheit                               |
| LED lighting                         | Gentle illumination with an on/off switch   |
| Automatic defrost                    | Reduced maintenance with the convenience of auto defrost                                |
| Adjustable chrome shelves            | Slide-out shelves offer attractive and convenient storage for beverages                 |

### SCR1225B Specifications:

| Overview                   |                       |
|----------------------------|-----------------------|
| Height of Cabinet          | 34.38" (87 cm)        |
| Width                      | 11.88" (30 cm)        |
| Depth                      | 22.38" (57 cm)        |
| Depth with Handle          | 24.13" (61 cm)        |
| Depth with door at 90°     | 33.0" (84 cm)         |
| Capacity                   | 2.2 cu.ft. (62 L)     |
| Defrost Type               | Automatic             |
| Door                       | Glass                 |
| Cabinet                    | Black                 |
| US Electrical Safety       | ETL                   |
| Canadian Electrical Safety | ETL-C                 |
| Sanitation                 | ETL-S                 |
| Amps                       | 1.25                  |
| Voltage/Frequency          | 115 V AC/60 Hz        |
| Weight                     | 66.0 lbs. (30 kg)     |
| Parts & Labor Warranty     | 1 Year                |
| Compressor Warranty        | 5 Years               |
| UPC                        | 761101049762          |
| Refrigerator Features      |                       |
| Door Swing                 | RHD                   |
| Reversible                 | Yes                   |
| Shelf Type                 | Chrome                |
| Shelf Qty                  | 4                     |
| Adjustable Shelves         | Yes                   |
| Thermostat Type            | Digital               |
| Fan Type                   | Interior and Exterior |
| Refrigerant Type           | R600a                 |
| Refrigerant Amount         | 0.88oz.               |
| High Side PSI              | 150.0                 |
| Low Side PSI               | 50.0                  |
| Level Legs Qty             | 4                     |
| Interior Light             | Yes                   |
| Dimensions                 |                       |
| Interior Height            | 25.0" (64 cm)         |
| Interior Width             | 9.13" (23 cm)         |
| Interior Depth             | 17.0" (43 cm)         |
| Compressor Step Height     | 3.75" (10 cm)         |

|                       |               |
|-----------------------|---------------|
| Compressor Step Width | 9.13" (23 cm) |
| Compressor Step Depth | 4.5" (11 cm)  |



